MOSAIC






COLOR WAVE[™] GLASS TILE & MOSAICS

Add a Wave of Color with Glass Mosaics

Colorful glass and glowing mosaics make up Color Wave[™] from Daltile. With jovial tones and fresh dimensions, this collection is fashion-forward, trendy and chic. Create a space that pops with personality and drama using the Vibrant Colors offering, or bask in the radiance of the solid Classic Colors and coordinating tones of the Random Block or Interlocking Blends. You're sure to transform your room with Color Wave, offering a sensational approach to design and an array of stylish options.

- TRENDY SIZES
 - Available in trendy linear sizes for an array of styling options
- FASHION-FORWARD LOOK
 - Create a unique space that is trendy and chic
- EXTENSIVE COLOR COLLECTION
 - Choose from an extensive collection of over 30 vibrant and class color options
 - Mix and match with classic solid colors and coordinating blends




\$

SEE CHARTS FOR FUL

MOSAIC

COLOR WAVE[™]

GLASS TILE & MOSAICS



COLOR WAVE[™]

GLASS TILE & MOSAICS

VIBRANT COLORS




1 x 1 MOSAIC BLENDS



WILLOW WATERS CW21



RAIN FOREST CW25



SOFT CASHMERE CW22




AUTUMN TRAIL CW26




DOWNTOWN OASIS CW23



WINTER BLUES CW27



SWEET ESCAPE CW24



EVENING MIXER CW28

COLOR WAVE[™] GLASS TILE & MOSAICS

2 x 1 BRICK-JOINT MOSAIC BLENDS



WILLOW WATERS CW21



RAIN FOREST CW25



SOFT CASHMERE CW22



AUTUMN TRAIL CW26




DOWNTOWN OASIS CW23



WINTER BLUES CW27



SWEET ESCAPE CW24



EVENING MIXER CW28

RANDOM INTERLOCKING MOSAIC BLENDS SOFT CASHMERE CW22 DOWNTOWN OASIS CW23 WILLOW WATERS CW21

RAIN FOREST CW25



AUTUMN TRAIL CW26



WINTER BLUES CW27



SWEET ESCAPE CW24



EVENING MIXER CW28

COLOR WAVE[™]

GLASS TILE & MOSAICS

SIZES

		Thickness	Sq. Ft./ Carton	Pieces/ Carton
3 x 6 Wall Tile	(3" x 6") (7.30 cm x 14.80 cm)	5/16"	4.00	32
2 x 12 Wall Tile	(1-7/8" x 11-7/8") (6.90 cm x 32.30 cm)	5/16"	10.00	60
1 x 6 Straight- joint Mosaic (Mesh- mounted)	(11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet)	5/16"	10.00	10
2 x 1 Brick-joint Mosaic (Mesh- mounted)∙	(12-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm Sheet)	5/16"	10.00	10
1 x 1 Mosaic (Mesh- mounted)	(11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet)	5/16"	10.00	10
Random Interlocking Mosaic (Mesh- mounted)•	(12" x 18" Sheet) (30.48 cm x 45.72 cm Sheet)	5/16"	10.00	10
	2 x 12 Wall Tile 1 x 6 Straight- joint Mosaic (Mesh- mounted) 2 x 1 Brick-joint Mosaic (Mesh- mounted)• 1 x 1 Mosaic (Mesh- mounted) Random Interlocking Mosaic (Mesh-	5 x 6 walt Hie (7.30 cm x 14.80 cm) 2 x 12 Walt Tile (1-7/8" x 11-7/8") (6.90 cm x 32.30 cm) 1 x 6 Straight- joint Mosaic (Mesh- mounted) (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet) 2 x 1 Brick-joint Mosaic (Mesh- mounted)• (12-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm Sheet) 1 x 1 Mosaic (Mesh- mounted)• (11-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm Sheet) 1 x 1 Mosaic (Mesh- mounted) (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet) Random Interlocking (Mosaic (Mesh- Sheet) (12" x 18" Sheet) (30.48 cm x 45.72 cm Sheet)	3 x 6 Wall Tile (3" x 6") (7.30 cm x 14.80 cm) 5/16" 2 x 12 Wall Tile (1-7/8" x 11-7/8") (6.90 cm x 32.30 cm) 5/16" 1 x 6 Straight- joint Mosaic (Mesh- mounted) (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm 5/16" 2 x 1 Brick-joint Mosaic (Mesh- mounted)• (12-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm 5/16" 1 x 1 Mosaic (Mesh- mounted)• (11-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm 5/16" 1 x 1 Mosaic (Mesh- mounted)• (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm 5/16" Random Interlocking (Mesh- Sheet) (12" x 18" Sheet) (30.48 cm x 45.72 cm 5/16"	Thickness Carton 3 x 6 Wall Tile (3" x 6") (7.30 cm x 14.80 cm) 5/16" 4.00 2 x 12 Wall Tile (1-7/8" x 11-7/8") (6.90 cm x 32.30 cm) 5/16" 10.00 1 x 6 Straight- joint Mosaic (Mesh- mounted) (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm 5/16" 10.00 2 x 1 Brick-joint Mosaic (Mesh- mounted)• (12-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm 5/16" 10.00 1 x 1 Mosaic (Mesh- mounted)• (11-7/8" x 11-7/8" Sheet) (39.90 cm x 29.90 cm 5/16" 10.00 1 x 1 Mosaic (Mesh- mounted) (11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm 5/16" 10.00 Random Interlocking (Mesh- (Sheet) (12" x 18" Sheet) Sheet) 5/16" 10.00

• Random interlocking and 2 x 1 mosaics available only in blends.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	~
Countertops	N/A	
Pool Linings	N/A	✓ †

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest[™], visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

⁺ CW30 Red Hot and CW32 Capri Breeze are not recommended for exterior use.





All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.

BLENDS

Blend	Blend Components	
CW21	25% Feather White CW02, 25% Smoked Pearl CW17, 25% Powder Puff CW03, and 25% Silver Mink CW04	
CW22	25% Casual Tan CW07, 25% Silver Mink CW04, 25% Feather White CW02, and 25% Kinetic Khaki CW09	
CW23	25% Feather White CW02, 25% Tango Tan CW06, 25% Suede Shoes CW10, and 25% Casual Tan CW07	
CW24	25% Suede Shoes CW10, 25% Whipped Cream CW05, 25% Tango Tan CW06, and 25% Green Parade CW15	
CW25	20% Morning Sun P650*, 20% Honeycomb P651*, 20% Tea Leaves P657*, 20% Cactus P660*, 20% Green Leaf P662 *	
CW26	25% Olive Oil GR08*, 40% Whipped Cream CW05, 10% Root Beer CW11, and 25% Kinetic Khaki CW09	
CW27	33% Twilight Blue CW14, 33% Whisper Green CW12, 33% Blue Lagoon CW13	
CW28	25% Ice White CW01, 25% Nine Iron CW19, 25% Smoked Pearl CW17, and 25% Top Hat CW18	

* Colors unique to blend - not stocked. Colors available via special order only, with extended lead time.

INSTALLATION

Grout Joint Recommendation	Shade Variation		
1/01 A	Medium (V2) Solids		
1/8" Approximately	Random (V4) Blends		

PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 100 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A
E 188 19 6 9		

For additional information on test results, visit us at: daltile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Use of a white latex modified thin-set is recommended for installation.

For additional information refer to "Factors to Consider" at: daltile.com/Factors.



7834 C.F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile[®] products and information, visit our website at **daltile.com**.

